

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	1	(((DAC)(digital adj2 analog adj2 convert\$4)) and ((VGA)(variable adj2 gain adj2 amplifier)) and ((ADC)(analog adj2 digital adj2 convert\$4)) and (control\$4) and (read near2 channel) and (different various many several two) and (amplitude)).clm.	US-PGPUB; USPAT	OR	ON	2005/10/31 09:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	((data read writ\$3 record\$3 reproduc\$3) near2 channel) same (vga near2 gain near2 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:28
L3	1	("6603416").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/10/31 08:28
L4	3	((data read writ\$3 record\$3 reproduc\$3) near2 channel) and (analog\$2 near2 digital) near4 ((trip detect\$3 spread) near2 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:33
L5	1	("6647056").URPN.	USPAT	OR	ON	2005/10/31 08:31
L6	3	("6130906" "6647056" "6678313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/31 08:32
L7	1	((data read writ\$3 record\$3 reproduc\$3) near2 channel) and (analog\$2 near2 digital) near4 (different near3 amplitude near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:53
L8	805	((data read writ\$3 record\$3 reproduc\$3) near2 channel) and (analog near3 front near2 end)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:55
L10	33	8 and (amplitude near2 different)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:59
L11	1	8 and (((head transducer channel) near3 amplitude) same (vga or (variable near2 amplifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 09:00
L13	104	8 and ((digital near2 analog) and (vga or (variable near2 amplifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 09:50
L14	1	(signal near3 (different unequal) near2 amplitude) and ((calculat\$3 comput\$3 generat\$3) near2 code near2 spread)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 09:03

L15	209	((DAC)(digital adj2 analog adj2 convert\$4)) and ((VGA)(variable adj2 gain adj2 amplifier)) and ((ADC)(analog adj2 digital adj2 convert\$4)) and (control\$4) and (read near2 channel) and (different various many several two) and (amplitude))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 09:36
L16	208	((DAC)(digital adj2 analog adj2 convert\$4)) and ((VGA)(variable adj2 gain adj2 amplifier)) and ((ADC)(analog adj2 digital adj2 convert\$4)) and (control\$4) and (read near2 channel) and (different various many several two) and (amplitude))	US-PGPUB; USPAT	OR	ON	2005/10/31 09:37
L18	88	15 and "360"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/31 10:10
L19	6	("5862007" "6069866" "6141169" "6148431" "6199191" "6219387").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/31 09:43
L20	22	((head transducer channel) near3 amplitude) same (adc or (analog adj2 digital adj2 convert\$3)) same (vga or (variable near2 amplifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 10:01
L21	8147	(360/25,31,46,51,66-68).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/10/31 10:15
L22	20	8 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 10:15
L23	69	15 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 10:11
L24	8939	(360/25,31,32,46,51,66-68).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/10/31 10:15
L26	21	8 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 10:15

L27	70	15 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 10:15
S1	3	(data read reproduc\$3) near3 channel same (DAC or (digital near3 converter)) near5 ((variable near3 amplifier) or vga) and control\$3 near5 amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/31 08:18
S67	25	((digital near2 analog) or dac) same ((vga or (variable near2 amplifier)) near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 10:04